
Columbia Paint Corporation WVC 312 C.2 Reviewer/Data Date Section of Comments Final **Entry Ouestionnaire** Disposition · QA · questionnaira D. Vermont. 4/13 · Spoke to John Ball -H. Will Pax Corrections · All solvent wask recycled RECEIVED FAX C.Meronito +/17/0 50,2 NOK 121 34 1791 170/12/20 MARKOWITZ 4/7/00 TO DATA ENTRY Asce, Healove 121 8 4-19-00 SGEFLASS & NODE ABOVE) C.MAR KOWETZ QA DATABASE 4/19/0 Spoke with the south for the south back & tell of known. 4120100 TO dota J. McTagne entry cobact+ albush patheter should be checked in Sall DW2 25th 1-21 50 erite of isel بمناهم فموير كيمحص C. HARROWITZ 4/24/00 DA DATABASE COMPLETE

# BUCKSLIP: PAINT LISTING DETERMINATION RCRA 3007 QUESTIONNAIRE

	RCRA 3007 (	QUESTIONNAIRE		
FACILITY NAME: COLUMBI.	A PAINT CORPORAN	ION	3007 CODE:	WVC312
Status		Name	Date Toleron	हुन कुला के किस के किस
Q Received & Logged into Track	ing Database	Kuja	IN T	1/00
M Q Reviewed for CBI and Part 6	6 Certification	Chi	4/1	1/00
СВІ	Yes / No			
Certification	Yes / No			
NOTES:				:
Non-CBI Q copied & Original File	d	maninasis (# 10) - En 179 as money men ass	e latina di Nasarin da Marie e da si seria di Principa di Arena da Saria	Sectional Control of the Charge
1 <sup>ST</sup> LEVEL QA/QC		D Vermont		
NOTES: Table 4 d. 6 not match inform Table 5a.2- Table 4C- Table 5a.2	of occurs for 2IN WVC312- given in 165-	Some RINS NOR Dense	ty units h	somet
Table 5a.2	RIN HVC 3/2	occur out	sens for the	re RIIb
2 <sup>ND</sup> LEVEL QA/QC				
NOTES: Table 4c -	- HVC312-NI	- mgmt Same a WS- freq.	s HOR of occurrence	messing
Check to ma	WVC312-NW NO -HOR No bure no	W	VC312-HOR	Same ao



## RCRA Section 3007 Questionnaire

Columbia Paint Corporation Huntington, WV

.

Facility ID: WVC312

Columbia Paint Corporation is a regional producer of industrial original equipment manufacture (OEM) coatings and to a lesser extent, architectural coatings. Columbia Paint manufactures both traditional solvent based coatings and water reducible (water based) coatings. In 1998, Columbia Paint produced a total of 239,562 gallons of coatings of which approximately 57.54% were solvent based, 37.61% were OEM water reducible, and 4.85% were architectural water reducible latex or trade sale coatings.

This facility is reporting 4 residual streams generated during paint manufacturing within the scope of this RCRA Section 3007 Questionnaire.

- 1. Nonhazardous liquid residual from wash water (NWL).
- 2. Nonhazardous sludge from wash water (NWS).
- 3. Nonhazardous off-specification residual (NOR).
- 4. Hazardous off-specification residual (HOR).

#### PRODUCTION / RESIDUAL SUMMARY:

Solvent Based Coatings - Solvent (primarily xylene) is used to clean milling equipment and portable tanks from the batch process after each color or product change. Solvent is reused until it becomes sufficiently contaminated that it no longer cleans and then is redistilled. The batch distillation process yields clean solvent which is used as a raw material for additional production and for cleaning. The process also yields a semisolid sludge which is reground as the pigment portion of an inexpensive shop coat primer.


Water Based Coatings - Water is used to clean milling equipment and portable tanks used to produce water based products. High pressure water is used to minimize the amount required. The pH neutral water is filtered to remove solids greater than 200 microns and transferred to the POTW with non-contact cooling water. The non-hazardous solids remaining are disposed of in a subtitle D landfill. NW

Annually, approximately 6,500 gallons of filtered wash/rinse water (NWL) is let to the POTW. Approximately 200 pounds of filtered solids (NWS) are disposed of at the subtitle D landfill.

Off-Specification Product – Off-specification product is product which when finished out does not meet quality or customer standards, and product which for any other reason can not be sold as prime material. Most off-specification product can be reworked to

Solo Chamina Chamina Perimental prime product either as a batch or as an addition to subsequent like products. Offspecification products which cannot be reworked to prime products or that have some other defective property must be disposed of as waste.

The amount of off-specification solvent based product (HOR) consigned as hazardous waste for disposal by fuels blending in 1998 totaled 330 gallons (in 55-gallon drums). The amount of off-specification water based product (NOR) consigned as non-hazardous waste for disposal in 1998 totaled 660 gallons (in 55-gallon drums).



1	W	V	Ċ3	1	1
	• •	•		-	•

ere

## PART 3: CORPORATE AND FACILITY INFORMATION

The purpose of this part is to provide general information about your facility such as: your facility name, location, mailing address, and contacts. Federal environmental permit numbers are requested so that the Agency can obtain information submitted to EPA under different reporting requirements. This will help reduce the amount of repetitive information your facility is required to report to EPA in this questionnaire.

A. 1	Name of Facility Columbia	Paint Corporation	<u> </u>
В. 1	Physical Address of Facility (pl	ease do not include post office box	ces)
:	Street 641 Jackson Aver	nue	
(	City Huntington	State WV	Zip <u>25704–2615</u>
C. 1	Parent Corporation (if any)	N/A	
D. I	Physical Location of Corporati	on Headquarters	·
5	Street 641 Jackson Aver		
(		State WV	Zip <u>25704</u>
E. 1	Federal Environmental Permit	Numbers:	
]	EPA Identification Number or Ro	CRA Hazardous Waste ID Number	r: WVD005007349
(	Clean Water Act Pretreatment Pe	rmit Number:1086008-C	
(	Clean Water Act National Polluta N/A	ant Discharge Elimination System	(NPDES) Permit Number:
(	Clean Air Act Title V Permit Nu	mber: N/A	
	Facility Contacts (names of pers questionnaire)	sonnel we may contact for addition	al technical information pertaining to this
Nam	ne	Title	Telephone Number
Ric	ck Flowers	President	304/529-3237 Ext. 329
Wes	5 Moore	Operations Mgr.	304/529-3237 Ext. 330
Joh	n Ball	Manager, HS & E	304/529-3237 Ext. 341
G.	Off-Specification Product Man	agement Practices:	
		ility manages off-specification property. Check the appropriate response	duct manufactured on-site or received from onse.
•	Does your facility store off-sp     X yesno	ecification product as defined in P	art 1, Section 4 of this questionnaire?
	a. If yes to G.1, does your fa specification product stored?	acility have a tracking system that t	racks the location and types of off-
	b. If yes to G.1, state the ave	rage age of the stored off-specifica 60 days/mixionym	ntion product on-site.  (Circle unit of time)

*lere* 

# Table 4a: Residual (RIN) Characterization

#1. Type of Residual		#2. Assign	RIN	<u></u>	#3.
See Part I (Introduction/Overview) for a detailed descript		RIN =			Next Step
residuals included within the scope of this questionnai	re. -	Facility ID  -  WVC312	Standard Residual Designat (SRD)		Go To Table
Solvent Cleaning Residual	CBI	Copy Facility ID below	(SRD)	CBI	
nonhazardous liquid residual from solvent cleaning			NSL		4c
hazardous liquid residual from solvent cleaning			HSL		4b
nonhazardous sludges from solvent cleaning residual			NSS		4c
hazardous sludges from solvent cleaning waste			HSS		4b
Water and/or Caustic Cleaning <sup>1</sup>	CBI	Copy Facility ID below	(SRD)	CBI	
_X nonhazardous liquid residual from wash water		wc312 /	NWL.		4c
hazardous liquid residual from wash water			HWL		4b
_X nonhazardous sludges from wash water residual		WC312	NWS		4c
hazardous sludges from wash water residual			- HWS		4b
nonhazardous liquid residual from caustic wash water			- NCL		4c
hazardous liquid residual from caustic wash water			HCL		4b
nonhazardous sludges from caustic cleaning residual			NCS		4c
hazardous sludges from caustic cleaning residual			HCS		4b
Wastewater Treatment Sludges	CBI	Copy Facility ID below	(SRD)	CBI	
nonhazardous sludges from wastewater treatment			NWTS		4c
hazardous sludges from wastewater treatment			HWTS		4b
Emission Control Dust or Sludge	CBI	Copy Facility ID below	(SRD)	CBI	
nonhazardous emission control dust			NED		4c
hazardous emission control dust			HED		4b
nonhazardous emission control sludge			NES		4c
hazardous emission control sludge			HES	`	4b
Off-Specification Production Residual	CBI	Copy Facility ID below	(SRD)	СВІ	
X nonhazardous off-specification residual		WVC312	NOR		4c
X hazardous off-specification residual		WVC312	HOR		4b

<sup>&</sup>lt;sup>1</sup>For purposes of this questionnaire, a wash water does not include caustic. If wash water contains caustic, then you are managing a "caustic" wash water."

# Table 4b: Hazardous Residual (RIN) Characterization

1. RIN identified in Table 4a:WC312-HOR CBI								
#2. Total Volume Generated in 1998: 330 gallons  Density of Residual Generated in 1998: 8.76 lb./gal	CBI Tota	ıl Wt. 2891 lb.						
#3. Residual generated in production of								
Architectural Paints	CBI							
OEM Paints X	CBI							
Special Purpose	CBI							
#4. Federal RCRA hazardous waste codes that apply to this R	IN:	·						
#5.  If your residual carries a Federal RCRA	*for example · (EX)	then						
listed hazardous waste code(s) other than F003	EX1: F005	STOP and go to Part 5 (Constituent Information)						
listed hazardous waste code(s) other than F003  and  characteristic hazardous waste code(s) and/or F003	EX1: F005, D001, D003 EX2: F005, F003 EX3: F005, F003, D001, D003	STOP and go to Part 5 (Constituent Information)						
characteristic hazardous waste code(s) and/or F003	EX1: D007  EX2: D001, D008  EX3: F003  EX4: F003, D007, D001, D008	Go to Table 4c						

<sup>\*</sup> The examples in this table illustrate that a RIN may carry one or more of the example codes.

WVC312

ere

SEN EW TARK

Table 4c: Residual Generation Rate and Management
If you are claiming any items entered in Box #1- Box #7 as CBI, place a check (V) in the appropriate box.
See directions under Part 4c for further guidance.

Table 4a	#2, Total Volume Generated in 1998 388 46 (If not entered in Table 4b)	
#3. Residual generated in Table 4b)   Architectural (If not entered in Table 4b)     C	Residual Generated in 1998 🐲 绛 (If not entered in Table 4b)	
C		
Mgt On- Off- C Site B Site B 1		#8. More Info Available on Mgt Unit
THE K STHE-CON-(002)  FIB X D-FB-GFF-001	-I B C	)
FB X <b>D</b> -FB-CFF-001	Name Street City State	X Yes
		X Ýes
	Name Street Sin Zip Zip	Yes
		Yes No
Street City State	Street Zip	Yes No

<sup>\*</sup>If you answer yes and more information is available proceed to Tables 4d.1-4d.9 in part 4d. If you answer no, go to Part 5.

\*\* Mgt = Management

Wew TABLE

[ WVC312

ere

Table 4c; Residual Generation Rate and Management
f you are claiming any items entered in Box #1- Box #7 as CBI, place a check (1) in the appropriate box. See directions under Part 4c for further guidance.

#1, RIN (as Identified	denti∏ed	#2, 7	Fotel Vo	shame G	ทุยเอนล	#2, Touri Volume Generaled in 1998 me 46	(If not entered in Table 4h)		CBI	
in Table 4a) WC312-HTR	R	I	rotal De	mslty of	Resid	Total Density of Residual Generaled in 1998.	38 see 46 (1f not entered in Table 4b)		CBI	
CBI		#3. 7	lesidual (If no	l general N entere	led In 1	#3. Rusidual generated in production of: Av (If not entered in Table 4b)	Architectural OEM L Special Purpose	ວະ	CBI _	
#4, Mgi <sup>4,4</sup> Method	#5a. B Mg1**		₩-	#56, Location	Hon	#5c. Mgi <sup>tt</sup> Unit ID Code	#6. Management Unit – C Facility Name and Address B	#7. Residual Volume Managed in Unit in 1998	V#-	#8. More Info Available on Met Unit
(ST, TRT, R, D)	Mgt Mgt Defunition Table for code)		On. Sile	. Off-	Om-		•			,
£	Ħ		×			ST-HE-CA-00 A	Name Churchia Paint Copuration Succi. 641 Jackson Avense City Hot ington Suic W	330 gal	' '	X Yes
۵	E			×		D-FB-CFF-C01	Name Rednos Chanical Street 1007 Valican Road City Berton State AR Zip 72105	330 gal.	,	X Yes
9					<u>                                     </u>		Name Street City State Zip			Yes
						÷	Name Street City State Zip			Yes
		<u> </u>					Name Surest City Zip			Yes
T	*If you answe	r yes	JOHI PINE	E inform	nation	is available proceed	*If you answer yes and more information is available proceed to Tables 4d.1-4d.9 in part 4d. If you answer no, go to Part 5.			

It you answer yes and more information

\*\* Mgt = Management

18 18 [

WVC312

!ere

#### **Table 4d.6: Containers**

#1. Management Unit Identificatio	n Code <sup>1</sup>	SI-H	C-QV-001		CBI
#1a .Volumetric Capacity of each u	nit	ST-H	C-CIV-001	-55 gallon	CBI
#2. RINs:		/wc31	12-HOR	-	CBI
#3. Residual Management in Containers  CBI			#4.	container types <sup>2</sup> CBI	#5. Maximum Number of Days Stored in Container <sup>3</sup> CBI
	drums	roll-offs	bags	Other (specify below)	
storage in containers	Y	N	N		60 days
Additional Information:					
·		_			

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Identify the type of container that is used for storing your residual with a yes (Y), no (N), or unknown (U). If multiple container types are used, specify with a "Y" in all columns that apply. If the container type is not listed, describe the container in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

<sup>&</sup>lt;sup>3</sup> Specify the maximum number of days that the residual is stored in the containers. Enter a number into the column, for example "10 days."

Jour Agite

**WVC312** 

!ere

#### Table 4d.6: Containers

#1. Management Unit Identification	on Code <sup>1</sup>		ST-1	HC-ON-004	CB1
#1a Volumetric Capacity of each t	ınic	••	ST-1	HC-ON-001-55 gallon	CBI
#2. RINs:		WC31	2-HIR	-	СВІ
#3. Residual Management in Containers  CB1	#4. container types <sup>2</sup> CBI				#5. Maximum Number of Days Stored in Container
				Other (specify below)	
	drams	ग्गी-वर्गः	หลีตน		
storage in containers	Y	N	N		60 days
Additional Information:					
	1				
	_				

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&#</sup>x27;Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Identify the type of container that is used for storing your residual with a yes (Y), no (N), or unknown (U). If multiple container types are used, specify with a "Y" in all columns that apply. If the container type is not listed, describe the container in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

<sup>&</sup>lt;sup>3</sup> Specify the maximum number of days that the residual is stored in the containers. Enter a number into the column, for example "10 days."

Table 5a.1: Residual Chemical Identification

RIN: WVC312-HOR			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Acetone	67-64-1		-
Acrylamide and Acrylamide-derived polymers	79-06-1		
Acrylonitrile and Acrylonitrile-derived polymers	107-13-1		
Allyl Alcohol	107-18-6		
Antimony & Compounds	7440-36-0		
Barium & Compounds	7440-39-3	✓ ·	
Benzene	71-43-2		
Benzyl Alcohol	100-51-6		
Butyl Benzyl Phthalate	85-68-7		
Cadmium & Compounds	7440-43-9		
Chloroform	67-66-3		
Chromium & Compounds	16065-83-1	<b>√</b>	
Cobalt & Compounds	7440-48-4	<b>√</b>	
Copper & Compounds	7440-50-8	<b>√</b>	
Cyanide	57-12-5		
Cyclohexane	110-82-7		
Dibutyl Phthalate	84-74-2		
3-(3,4-Dichlorophenyl-1)1 dimethylurea	330-54-1		
Diethyl Phthalate	84-66-2		
Di (2-ethylhexyl) Phthalate	117-81-7		
2,4 Dimethylphenol	105-67-9		
1,4 Dioxane	123-91-1		
Ethyl Acetate	141-78-6		
Ethylbenzene	100-41-4	/	
Ethylene Glycol	107-21-1		

Table 5a.1: Residual Chemical Identification

RIN: WVC312-HOR			
Constituent	CASRN (Reference)	Present (🗸)	CBI (V)
Formaldehyde and Formaldehyde-derived polymers	50-00-0		
Isophorone	78-59-1		
Lead & Compounds	7439-92-1	<b>√</b>	
M-Cresol	108-39-4		
Methanol	67-56-1		
Methyl Acrylate	96-33-3	······································	
Methylene Chloride	75-09-2		
Methyl Ethyl Ketone	78-93-3	/	
Methyl Isobutyl Ketone	108-10-1	$\sqrt{}$	
Methyl Methacrylate and Methyl Methacrylate-derived polymers	80-62-6		
2,2 Methylenebis (3,4,6-trichlorophenol)	70-30-4		
Mercury & Compounds	7439-97-6		
Molybdenum & Compounds	7439-98-7		
M-Xylene	108-38-3		
Naphthalene	91-20-3	•	
N-Butyl Alcohol	71-36-3		
Nickel & Compounds	7440-02-0		
Nitrobenzene	98-95-3		
2-Nitropropane	79-46-9		
O-Cresol	95-48-7		
O-Xylene	95-47-6	\$	
P-Cresol	106-44-5		
Pentachlorophenol	87-86-5		
Phthalic Anhydride	85-44-9		
Phenol	108-95-2		
Selenium & Compounds	7782-49-2		

Table 5a.1: Residual Chemical Identification

RIN: WVC312-HOR			
Constituent	CASRN (Reference)	Present (🗸)	CBI (V)
Silver & Compounds	7440-22-4		_
Styrene and Styrene-derived polymers	100-42-5		
Tetrachloroethene	127-18-4		
Tin & Compounds	7440-31-5		
Toluene	108-88-3		
Toluene diisocyanate	26471-62-5		
1,2,4-Trichlorobenzene	120-82-1		
1,1,1 Trichloroethane	71-55-6		
Trichloroethene	79-01-6		
2,4,6 Trichlorophenol	88-06-2		
Vanadium & Compounds	7440-62-2		
Vinyl Acetate and Vinyl Acetate-derived polymers	108-05-4		
Vinylidene Chloride and Vinylidene Chloride-derived polymers	75-35-4		
Xylene (mixed isomers)	1330-20-7	/	
Zinc & Compounds	7440-66-6		

#### Table 5a.2: Constituent Volumetric Percentages

566 NGW TABLE

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

Constituent found in RIN: WVC312-HOR	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Ethylbenzene		<1% ·
Methyl Ethyl Ketone		<1%
Methyl Isobutyl Ketone	·	<1%
Toluene		2%
Xylene (mixed polymers)		5%
Zinc & Compounds	30%	<1%
Antimony & Compounds	30%	<0.5%
Barium & Compounds	30%	· <0.5%
Chromium & Compounds	30%	<1%
Cobalt & Compounds		<0.5%
Copper & Compounds	30%	<1%
Zinc & Compounds	30%	<1%
Styrene derived polymers	30%	<1%
		· ·
	15	

NOW TABLE

WVC312

iere

## Table 5a.2: Constituent Volumetric Percentages

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

Table to Record Amount	of Constituents in KIN	
Constituent found in RIN: WVC312-HOR	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Ethylbenzene	95%	<18 = 5
Methyl Ethyl Ketone	50%	<1%
Methyl Isobutyl Ketone	50%	<1%
Toluene	40%	2%
Xylene (mixed polymers)	95%	5%
Zinc & Compounds	30%	<1%
Antimony & Compounds	30%	<0.5%
Barium & Compounds	30%	<0.5%
Chromium & Compounds	30%	<1%
Cobalt & Compounds	30%	<0.5%
Copper & Compounds	30%	<1%
Zinc & Compounds	30%	<1%
Styrene derived polymers	30%	<1%
	1	
		<u> </u>
	11611	1

Γ	WVC312	
P		re
P		re

## Part 5b. Test Methods for Constituents Reported in this Questionnaire

Please use the space provided below to list the analytical method(s) (by title or number) that you have used to analyze your residual streams, along with the detection limits reported by the laboratory for such analyses. Please also describe any analytical problems you have experienced in the determination of total and leachable (e.g., using the Toxicity Characteristic Leaching Procedure, or TCLP) constituent concentrations.

<u> </u>			<del></del>	
WVC312-HOR				
				•
all constituents, user knowledge				
	•			
			•	
•				}
:				
				,
		•		

Table 4c: Residual Generation Rate and Management
If you are claiming any items entered in Box #1- Box #7 as CBI, place a check (V) in the appropriate box.
See directions under Part 4c for further guidance.

566 JOHN TABLE

#1. RIN (as identified	identified	#2.	Total V	olume (	Jenerat	#2, Total Volume Generated in 1998 660 gal.	(If not entered in Table 4b)	CBI	IE
in WestStyck	×		Total D	ensity o	of Resid	ual Generated in 195	Total Density of Residual Generated in 1998 6600 1bs. (If not entered in Table 4b)	CBI	31
CBI		#3.	Residua (If n	il gener	ated in red in T	#3. Residual generated in production of: Ar (If not entered in Table 4b)	Architectural X Special Purpose	oose CB1	31
#4. Mgl** Method	C #5a. B Mgt** I Unit (Refer		# - BC	#5b, Location	ation	#5c. Mgt** Unit ID Code	#6. Management Unit – Facility Name and Address	C #7. Residual C B Volume B I Managed in I Unit in 1998	#8. More Info Available on Mgt Unit
(ST, TRT, R, D)	Mgt Definition Table for code)	u b _	On- Site	n- Off- te Site	te T.				
							Name <u>Columbia Paint Corporation</u> Street 641 Jackson Avenue		X Yes
ęż	E E		×			ST-NFC-CN-003	1 1 11	660 gal.	oN
4	g			<b>&gt;</b>		100 at 0	Name Reinco Chemical Street 1007 Walcan Road		X Yes
۵	<b>a</b>			۹			City Berton State/ 1.7. AR Zip 72015	660 gal.	cN   
1							Name Street		Yes
\ \							City Zip Zip		No
							Name Caron		Yes
		<b>-</b>	·				City Zip		No.
				<u> </u>			Name		Yes
			···				Street Zip		oN
		1	-		-				

<sup>\*</sup>If you answer yes and more information is available proceed to Tables 4d.1-4d.9 in part 4d. If you answer no, go to Part 5.

<sup>\*\*</sup> Mgt = Management

[ WVC312 NOW TABLE

, lere

able 4c: Residual Generation Rate and Management, you are claiming any items entered in Box #1. Box #7 as CBI, place a check (V) in the appropriate box. e directions under Part 4c for further guidance.

More Info Available pn Mgl Unit Υçς Υes Yes Yes Yes ဍိ ž ž ź ź ₩. CBI CBI CBI U m -Managed in Unit in 1998 #7. Residual Volume 660 gal. ह्यं 8 Special Purpose, ပ 🕳 🗕 Zip\_72015 Zip 25704 Facility Nume and Address Z Zip #6. Management Unlt. Total Density of Residual Generated in 1998 6600 16s. (If not entered in Table 4b) Name Columbia Paint Oxporation Street 641 Jackson Avenue OEM (If not entered in Table 4b) 1007 Vulcen Road Name Reinco Chancol Street 1007 Vulcan Roa City Hartington AR. Perton Architectural X ⋛ City Street Name\_ Street\_ City\_\_ State\_ Name Street Name Street City State State State #5c. Mgt\*\* Unit ID Code #2. Total Volume Generated in 1998 660 cml. ST-NHC-CN-003 D-FB-CFF-001 #3. Residual generated in production of: (If not entered in Table 4b) Cm #5b. Location Off-Site × Site 1 × Cm Mgl\*\* Unit (Refer to Residual Mgt Definition Table for code) Z 1. RIN (as identified 巴 ပော " BESTER ST, TRT, | R, D) | #4. Mgi\*\* Method g Ω Ħ

\*If you answer yes and more information is available proceed to Tables 4d,1-4d,9 in part 4d. If you answer no, go to Part 5,

\*\* Mgt = Management

'ere

#### Table 4d.6: Containers

#1. Management Unit Identification	Codet	SI-NHC -ON-003			
#1a .Volumetric Capacity of each ur	nit:	SI-I	NHC-CIV-(	003-55 gallon	CBI
#2. RÎNs:		wc	312-NOR		СВІ
#3. Residual Management in Containers CBI			#4. 0	container types <sup>2</sup> CBI	#5. Maximum Number of Days Stored in Container <sup>3</sup> ——— CBI
	drums	roll-offs	bags	Other (specify below)	
storage in containers	Y	N	N		60 days
Additional Information:					

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Identify the type of container that is used for storing your residual with a yes (Y), no (N), or unknown (U). If multiple container types are used, specify with a "Y" in all columns that apply. If the container type is not listed, describe the container in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

<sup>&</sup>lt;sup>3</sup>Specify the maximum number of days that the residual is stored in the containers. Enter a number into the column, for example "10 days."

**Table 4d.7:** Use In Fuel Blending, Management in Incinerators, Light Weight Aggregate Kilns, Cement Kilns, or in Boilers and/or Industrial Furnaces

#1. Management Unit Identification Code <sup>1</sup> : D_FB_OFF_001	CBI	
#2. RINs:	CBI	
WC312-NOR WC312-HDR		
#3. Residual Management Activity	#4. Location CBI	
	on-site	off-site
Fuel BlendingCBI	N	Y
IncinerationCBI	N	N
Light Weight Aggregate KilnsCBI	N	N
Cement KilnsCBI	N	N
Burning in boiler or industrial furnaceCBI	N	N
Additional Information:		
·		

<sup>1</sup>Identified in Table 4c, Box #5c

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

Table 5a.1: Residual Chemical Identification

RIN: WC312-NCR			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Acetone	67-64-1		-
Acrylamide and Acrylamide-derived polymers	79-06-1		
Acrylonitrile and Acrylonitrile-derived polymers	107-13-1		
Allyl Alcohol	107-18-6		
Antimony & Compounds	7440-36-0	<b>✓</b>	
Barium & Compounds	7440-39-3	✓ .	
Benzene	71-43-2		
Benzyl Alcohol	100-51-6		
Butyl Benzyl Phthalate	85-68-7		
Cadmium & Compounds	7440-43-9		
Chloroform	67-66-3		
Chromium & Compounds	16065-83-1	4	
Cobalt & Compounds	7440-48-4		
Copper & Compounds	7440-50-8		
Cyanide	57-12-5		
Cyclohexane	110-82-7		
Dibutyl Phthalate	84-74-2		
3-(3,4-Dichlorophenyl-1)1 dimethylurea	330-54-1		
Diethyl Phthalate	84-66-2		
Di (2-ethylhexyl) Phthalate	117-81-7		
2,4 Dimethylphenol	105-67-9		
1,4 Dioxane	123-91-1		
Ethyl Acetate	141-78-6		
Ethylbenzene	100-41-4		
Ethylene Glycol	107-21-1	1	

المرابعالة المرابع الم

Table 5a.1: Residual Chemical Identification

RIN: WC312-NCR			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Formaldehyde and Formaldehyde-derived polymers	50-00-0		
Isophorone	78-59-1		
Lead & Compounds	7439-92-1		
M-Cresol	108-39-4		
Methanol	67-56-1		
Methyl Acrylate	96-33-3		
Methylene Chloride	75-09-2		
Methyl Ethyl Ketone	78-93-3		
Methyl Isobutyl Ketone	108-10-1		
Methyl Methacrylate and Methyl Methacrylate-derived polymers	80-62-6		
2,2 Methylenebis (3,4,6-trichlorophenol)	70-30-4		
Mercury & Compounds	7439-97-6		
Molybdenum & Compounds	7439-98-7		
M-Xylene	108-38-3		
Naphthalene	91-20-3	-	
N-Butyl Alcohol	71-36-3	/	
Nickel & Compounds	7440-02-0		
Nitrobenzene	98-95-3		
2-Nitropropane	79-46-9		
O-Cresol	95-48-7		
O-Xylene	95-47-6		
P-Cresol	106-44-5		
Pentachlorophenol	87-86-5		
Phthalic Anhydride	85-44-9		
Phenol	108-95-2		
Selenium & Compounds	7782-49-2		

WVC312 re

Table 5a.1: Residual Chemical Identification

RIN: WC312-NOR			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Silver & Compounds	7440-22-4		
Styrene and Styrene-derived polymers	100-42-5		
Tetrachloroethene	127-18-4	***	
Tin & Compounds	7440-31-5		
Toluene	108-88-3		
Toluene diisocyanate	26471-62-5		
1,2,4-Trichlorobenzene	120-82-1		
1,1,1 Trichloroethane	71-55-6		
Trichloroethene	79-01-6		
2,4,6 Trichlorophenol	88-06-2		
Vanadium & Compounds	7440-62-2		
Vinyl Acetate and Vinyl Acetate-derived polymers	108-05-4	<b>✓</b>	
Vinylidene Chloride and Vinylidene Chloride-derived polymers	75-35-4		
Xylene (mixed isomers)	1330-20-7		
Zinc & Compounds	7440-66-6		

WVC312 'ere

## Table 5a.2: Constituent Volumetric Percentages

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

Constituent found in RIN: WC312-NCR	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Ethylene Glycol	,	1% .
N-Butyl Alcohol		1%
Dibutyl Phthalate	/	<1%
Chranium & Compounds		<1ppm
Cabalt & Campounds		<0.5%
Antimony & Compounds /	30%	<0.5%
Barium & Compounds	30%	<0 <b>.</b> 5%
Vinyl Acetate derived polymens	30%	<0.5%
· /		
		·
,		
	35	

**WVC312** 

'еге

### Table 5a.2: Constituent Volumetric Percentages

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

<u> Table to Record Amount of Constituents in RIN</u>					
Constituent found in RIN: WC312-NCR	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN			
Eliylere Glycol	100%	18 .			
N-Butyl Alcohol	100%	1%			
Dibutyl Phihalate	90%	<1%			
Circuium & Corporads	90%	<1 <u>pp</u> m			
Cibalt & Compounds	90%	<0 <b>.5%</b> .			
Antimony & Compands	30%	<0,5%			
Barium & Compounds	30%	<0.5%			
Vinyl Acetate decived polymers	30%	<0.5%			
		÷			
	13/10				

## Part 5b. Test Methods for Constituents Reported in this Questionnaire

Please use the space provided below to list the analytical method(s) (by title or number) that you have used to analyze your residual streams, along with the detection limits reported by the laboratory for such analyses. Please also describe any analytical problems you have experienced in the determination of total and leachable (e.g., using the Toxicity Characteristic Leaching Procedure, or TCLP) constituent concentrations.

WVC312-NOR

chromium (Cr) TCLP method SW6010 and user knowledge

Lead (Pb) TCLP method SW6010 and user knowledge

All other constituents, user knowledge

lere

WVC312 SEE USE TABLE

Table 4c: Residual Generation Rate and Management
If you are claiming any items entered in Box #1- Box #7 as CBI, place a check (V) in the appropriate box.
See directions under Part 4c for further guidance.

CBI	CBI	CBI	ual C #8.  B More Info in I Available on Met Unit		ers X Yes	X Yes	Yes No	Yes No	Yes No
1		a	#7. Residual Volume Managed in		64 filters	64 filters			
**	3	odun	LBC						
#2. Total Volume Generated in 1998 64 filters (If not entered in Table 4b) * Add filter mesures 50 14	Total Density of Residual Generated in 1998 3.015/白上年后 not entered in Table 4b) 200 小学年,读	Architectural OEM OEM Special Purpose	#6. Management Unit – Facility Name and Address		Name <u>Coloritria Paint Corporation</u> Street 641 Jackson Avenue City Hartington State W Zip 25704	Name Green Valley Street 100 Addington Road City Ashland State W Zip 41101	Name Street City Zip	Name Street City Zip	Name Street City Zip Zip
d in 1998 64 filt	al Generated in 19	#3. Residual generated in production of: (If not entered in Table 4b)	#5c. Mgt** Unit ID Code		SI-NEC-ON-002	D-SDIF-OFF-002			
nerate	Residu	d in p 1 in Ta	on	C B					
me Ge	ity of	enerate entere	#5b. Location	Off- Site		×			
al Volu	al Den	idual g (If not	#Sb.	On- Site	×		· · · · · · · · · · · · · · · · · · ·	Do A	
2. Tot	Tot	3. Res	ם ⊢ m C						
		#	#5a. Mgl** Unit (Refer	Mgt Definition Table for code)	NHC	SOILF			
(as ide	2-NW5								
#1. RIN (as identified in Table 4a)	WC312-NWE	CBI	#4. Mgt** Method	(ST, TRT, R, D)	Б	Q	£8		

\*If you answer yes and more information is available proceed to Tables 4d,1-4d,9 in part 4d. If you answer no, go to Part 5.

\*\* Mgt = Management

Table 4c: Residual Generation Rate and Management
If you are claiming any items entered in Box #1- Box #7 as CB1, place a check (V) in the appropriate box.
See directions under Part 4c for further guidance.

NEW TABLE

wvc312

#1. RIN (as identified		#2, T	oral Volt	ume G	enerate	d in WHY State	Į. Į.	
in Table 4a ) MVC312-NKS	165	۲	otal Den	isity of	Resid	uil Generated in 199	Total Density of Residual Generated in 1998 3. 015/filter not entered in Table 4b) appox. 3.81b/ft3 CBI	
CBI		#3. F	csidual	general Lentere	ed In p	#3. Residual generated in production of: Ar (If not entered in Table 4b)	Architectural OBM Spectral Purpose CBI	
#4. Mgi** Method	C #5a. B Mgl** I Unit (Refer		C #5b	#5b. Locadon	ជុលា	#5c, Mgt** Unit 1D Code	#6, Management Unit — C #7. Residual C Facility Name and Address B Volume B I Managed in I Unit in 1998	#8. More Info Available on Mgt Unit
(ST, TRT, R, D)	Met Definition Table for code)		On- Site	Off- Site	-BC			
돲	NA C		×			ST-NEC-ON-002	Name Columbia Beint Conscion Sucer 641 Jackson Menue City Hartington State W Zip 25704	X Yes
a	STILE	<b></b>		×		D-SDIE-CFF-002	Name Green Valley Street 100 Addington Road City Ashland State R State R State R	X Yes
29							Name Sweet City Zip	Yes No
						·	Name Sucet City State Zip	Yes No
		· · ·					Name Surect City State Zip	Yes
		1				in a mailtable property	15	

\*If you answer yes and more information is available proceed to Tables 4d.1-4d.9 in part 4d. If you answer no, go to Part 5.

\*\* Mgt = Management

#### Table 4d.6: Containers

#1. Management Unit Identification C	ode <sup>1</sup>	SI-NH	;-av-002		CBI
#1a .Volumetric Capacity of each unit:		SILNH	:-av-002	-8 cubic yard	·CBI
#2. RINs:		WC312	?-NWS	-	CBI
#3. Residual Management in Containers  CBI			#4. 0	container types <sup>2</sup> CBI	#5. Maximum Number of Days Stored in Container <sup>3</sup>
	drums	roll-offs	bags	Other (specify below)	
storage in containers N		Y	N		3
Additional Information:	1.000			······································	
	-				

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Identify the type of container that is used for storing your residual with a yes (Y), no (N), or unknown (U). If multiple container types are used, specify with a "Y" in all columns that apply. If the container type is not listed, describe the container in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

<sup>&</sup>lt;sup>3</sup> Specify the maximum number of days that the residual is stored in the containers. Enter a number into the column, for example "10 days."

#### Table 4d.1: Landfills

#1. Management Unit Identification Code <sup>1</sup>	D-SDILL	F-OFF-001/	ン						CBI
#1a. Volumetric Capacity of each unit:		7-CFF-09		n					CBI
#2. RINs:	WC312-	-NWS							CBI
#3. Residual Management in Landfills #4. liners <sup>2</sup> CBI						1	#5. run on/ run off controls <sup>3</sup>	#6. daily cover <sup>4</sup>	
	liner	leachate collection layer	re-compacted clay	re-compacted soil other than clay	synthetic liner	concrete pad	other liner (specify below)	CBI	CBI
subtitle D industrial waste landfill CBI	Y	Y	Y	ט	Y	U	Ū	Y	Y
subtitle C industrial waste landfill CBI									
municipal waste landfill CBI			1.						
Additional Information:									

Native soils/clay soils already present underneath the unit and sludge layers do not qualify as liners. For this case, mark no (N) in the liner column. If the type of liner present beneath your unit is not indicated on this table, write in the liner type in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup>Indicate whether the listed type of liner is associated with the landfill with a yes (Y), no (N), or unknown (U). If the landfill is off-site and the liner is unknown, indicate unknown (U). Do not guess at the liner type.

<sup>&</sup>lt;sup>3</sup> Indicate whether run on/run off controls are present with a yes (Y), no (N) or unknown (U). Run on/Run off controls are engineered barriers such as berms and dikes that will prevent water in soils from running on to and off of the unit.

<sup>&</sup>lt;sup>4</sup> Indicate whether a daily cover is applied while the landfill is operating with a yes (Y), no (N) or unknown (U).

Table 5a.1: Residual Chemical Identification

RIN: WVC312-NWS			
Constituent	CASRN (Reference)	Present (	CBI
Acetone	67-64-1		
Acrylamide and Acrylamide-derived polymers	79-06-1		
Acrylonitrile and Acrylonitrile-derived polymers	107-13-1		
Allyl Alcohol	107-18-6		
Antimony & Compounds	7440-36-0	/	
Barium & Compounds	7440-39-3	<b>/</b>	
Benzene	71-43-2		
Benzyl Alcohol	100-51-6		
Butyl Benzyl Phthalate	85-68-7		
Cadmium & Compounds	7440-43-9		
Chloroform	67-66-3		
Chromium & Compounds	16065-83-1		
Cobalt & Compounds	7440-48-4		
Copper & Compounds	7440-50-8		
Cyanide	57-12-5		
Cyclohexane	110-82-7		
Dibutyl Phthalate	84-74-2		
3-(3,4-Dichlorophenyl-1)1 dimethylurea	330-54-1		
Diethyl Phthalate	84-66-2		
Di (2-ethylhexyl) Phthalate	117-81-7		
2,4 Dimethylphenol	105-67-9		
1,4 Dioxane	123-91-1		
Ethyl Acetate	141-78-6		
Ethylbenzene	100-41-4		
Ethylene Glycol	107-21-1		

*Here* 

Table 5a.1: Residual Chemical Identification

RIN: WVC312-NWS			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Formaldehyde and Formaldehyde-derived polymers	50-00-0		
Isophorone	78-59-1		
Lead & Compounds	7439-92-1		
M-Cresol	108-39-4		
Methanol	67-56-1		
Methyl Acrylate	96-33-3		
Methylene Chloride	75-09-2		
Methyl Ethyl Ketone	78-93-3		
Methyl Isobutyl Ketone	108-10-1		
Methyl Methacrylate and Methyl Methacrylate-derived polymers	80-62-6	·	
2,2 Methylenebis (3,4,6-trichlorophenol)	70-30-4		
Mercury & Compounds	7439-97-6		
Molybdenum & Compounds	7439-98-7		
M-Xylene	108-38-3		
Naphthalene	91-20-3	•	
N-Butyl Alcohol .	71-36-3		
Nickel & Compounds	7440-02-0		
Nitrobenzene	98-95-3		
2-Nitropropane	79-46-9		
O-Cresol	95-48-7		
O-Xylene	95-47-6		
P-Cresol	106-44-5		
Pentachlorophenol	87-86-5		
Phthalic Anhydride	85-44-9		
Phenol	108-95-2		
Selenium & Compounds	7782-49-2		

WVC312	
	ere
	نــــــن

# Table 5a.1: Residual Chemical Identification

RIN: WVC312-NWS			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Silver & Compounds	7440-22-4		_
Styrene and Styrene-derived polymers	100-42-5		
Tetrachloroethene	127-18-4		
Tin & Compounds	7440-31-5		
Toluene	108-88-3		
Toluene diisocyanate	26471-62-5		
1,2,4-Trichlorobenzene	120-82-1		
1,1,1 Trichloroethane	71-55-6		
Trichloroethene	79-01-6		
2,4,6 Trichlorophenol	88-06-2	· · · · · · · · · · · · · · · · · · ·	
Vanadium & Compounds	7440-62-2		
Vinyl Acetate and Vinyl Acetate-derived polymers	108-05-4	/	
Vinylidene Chloride and Vinylidene Chloride-derived polymers	75-35-4		
Xylene (mixed isomers)	1330-20-7		
Zinc & Compounds	7440-66-6		

#### Table 5a.2: Constituent Volumetric Percentages

S66 NGW TABLE

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

Table 5a.2 Table to Record Amount of C	Constituents in KIIV	<u>/</u>
Constituent found in RIN: WVC312-NWS	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Antimony & Compounds		1% "
Barium & Compounds		1%
Vinyl Acetate derive polymen	s	18
		·
. /		•
		,
		·
	35	

WVC312

еге

## Table 5a.2: Constituent Volumetric Percentages

NEW TABLE

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

1able 5a.2 Table to Record Amount of C	Olistituellis III KIIX	
Constituent found in RIN: WVC312-NWS	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Antimony & Compounds	75%	1%
Barium & Compounds	75%	1%
Vinyl Acetate derive polymen	s 75%	1%
:		
		÷
ł	360	1

# Part 5b. Test Methods for Constituents Reported in this Questionnaire

Please use the space provided below to list the analytical method(s) (by title or number) that you have used to analyze your residual streams, along with the detection limits reported by the laboratory for such analyses. Please also describe any analytical problems you have experienced in the determination of total and leachable (e.g., using the Toxicity Characteristic Leaching Procedure, or TCLP) constituent concentrations.

WVC312-NWS

all constituents, user knowledge

32

Table 4c: Residual Generation Rate and Management
If you are claiming any items entered in Box #1- Box #7 as CBI, place a check (V) in the appropriate box.
See directions under Part 4c for further guidance.

#1. RIN (as identified	dentified	#2.	Fotal Ve	ofume G	enerate	ed in 1998 6500 G	#2. Total Volume Generated in 1998 6500 gal. (If not entered in Table 4b)		CBI
in Table 4a ) WVC312-NWL	-NWL	• 1	Total Do	ensity of	Resid	ual Generated in 199	Total Density of Residual Generated in 1998 8.34 1b/gath not entered in Table 4b) Total: 54.	54210 lb. C	CB1
CBI		#3.	Residua (If n	idual generated in producti (If not entered in Table 4b)	ted in pad in T	on of:	Architectural VOEM COEM Special Purpose.		CB1
#4. Mgi**	C #5a. B Mg(** I Unit (Refer	<del></del>	C #5	#5b. Location	ıtion	#5c. Mgt** Unit ID Code	#6. Management Unit – C Facility Name and Address B	#7. Residual C Volume B Managed in 1	
(ST, TRT, R, D)	Mgt Definition Table for code)		On- Site	- Off- e Site	LBC				11100182
ST	NHC		×			ST-NHC-ON- 001	Name Columbia Paint Corporation Sweet 641 Jackson Avenue City Huntington State Wy Zip 25704	6500 gal.	X Yes
Q	POIW			× .		D-PIOW-OFF-	Name Huntington Sanitary Board Street Vinson Road & Floodwall City Hantington State WV Zip 25704	6500 gal.	X Yes
38							Name Street City Zip Zip		Yes No
		:					Name Street Zity Zip Zip		Yes No
	· ,						Name Strect Zip Zip		Yes No
*	off wou onesting	3000 25	m y	July 2		*If you one was one and more information is not included	se Ad 1-Ad 0 in nort Ad 16 non one		

<sup>\*</sup>If you answer yes and more information is available proceed to Tables 4d.1-4d.9 in part 4d. If you answer no, go to Part 5.

<sup>\*\*</sup> Mgt = Management

#### **Table 4d.6: Containers**

#1. Management Unit Identification (	Code <sup>1</sup>	ST-NHC	-001-001		СВІ
#1a .Volumetric Capacity of each unit	:	SI-NHC	LON-001	~ 5 gallon	CBI
#2. RÎNs:		WC312	-NWL		CBI
#3. Residual Management in Containers  CBI			#4.	container types <sup>2</sup> CBI	#5. Maximum Number of Days Stored in Container <sup>3</sup> CBI
				Other (specify below)	
	drums	roll-offs	bags		
storage in containers	N	N	N	5 gallon pails	1
Additional Information:		<u> </u>			

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Identify the type of container that is used for storing your residual with a yes (Y), no (N), or unknown (U). If multiple container types are used, specify with a "Y" in all columns that apply. If the container type is not listed, describe the container in the column labeled "other." Use the space provided in "Additional Information" if you need more space.

<sup>&</sup>lt;sup>3</sup> Specify the maximum number of days that the residual is stored in the containers. Enter a number into the column, for example "10 days."

**WVC312** 

Pla

Table 4d.8: Management in POTWs, NPDES, WWTFs, Underground Injection Wells, or Other Disposal not Listed

#1. Management Unit Identification Code <sup>1</sup> :	D-POTW-OFF-001	CI	BI
#2. RINs:	WC312-NWL	CI	31
#3. Residual Management to POTWs, NPDE	S, WWTFs, Underground Injection, and Other Types of Treatment.	#4. Locat CB	
		on-site	off-site
discharge to POTW CBI	6500 gallons (total volume) <sup>2</sup>	N	Y
discharge to WWTFCBI	(total volume)	N	N
discharge under NPDES permitCBI	(total volume)	N	N
discharge to privately owned treatmentCBI	(total volume)	N	N
underground injectionCBI 5) if so, permit number	Class 01 02 03 04 0 5 (Type of well)	N	N
Additional Information:	<i>:</i>		
			***************************************

If you claim any information on this table as CBI, complete a substantiation form (Appendix A) for each CBI claim and return all forms to the address specified in Part 2, Question #4.

<sup>&</sup>lt;sup>1</sup>Identified in Table 4c, Box #5c

<sup>&</sup>lt;sup>2</sup> Specify total facility volume sent to each discharge point in the space provided next to each management type.

Table 5a.1: Residual Chemical Identification

RIN: WC312-NWL			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Acetone	67-64-1		-
Acrylamide and Acrylamide-derived polymers	79-06-1		
Acrylonitrile and Acrylonitrile-derived polymers	107-13-1		
Allyl Alcohol	107-18-6		
Antimony & Compounds	7440-36-0		
Barium & Compounds	7440-39-3		
Benzene	71-43-2		
Benzyl Alcohol	100-51-6		
Butyl Benzyl Phthalate	85-68-7		
Cadmium & Compounds	7440-43-9		
Chloroform	67-66-3		
Chromium & Compounds	16065-83-1	/	
Cobalt & Compounds	7440-48-4	<b>√</b>	
Copper & Compounds	7440-50-8		
Cyanide	57-12-5		
Cyclohexane	110-82-7		
Dibutyl Phthalate	84-74-2		
3-(3,4-Dichlorophenyl-1)1 dimethylurea	330-54-1		
Diethyl Phthalate	84-66-2		
Di (2-ethylhexyl) Phthalate	117-81-7		
2,4 Dimethylphenol	105-67-9		
1,4 Dioxane	123-91-1		
Ethyl Acetate	141-78-6		
Ethylbenzene	100-41-4		
Ethylene Glycol	107-21-1	<b>✓</b>	

Table 5a.1: Residual Chemical Identification

RIN: WC312-NWL			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Formaldehyde and Formaldehyde-derived polymers	50-00-0		
Isophorone	78-59-1		
Lead & Compounds	7439-92-1		
M-Cresol	108-39-4		
Methanol	67-56-1		
Methyl Acrylate	96-33-3		
Methylene Chloride	75-09-2		
Methyl Ethyl Ketone	78-93-3		
Methyl Isobutyl Ketone	108-10-1		
Methyl Methacrylate and Methyl Methacrylate-derived polymers	80-62-6	-	
2,2 Methylenebis (3,4,6-trichlorophenol)	·70-30-4		
Mercury & Compounds	7439-97-6		
Molybdenum & Compounds	7439-98-7		
M-Xylene	108-38-3		
Naphthalene	91-20-3	•	
N-Butyl Alcohol	71-36-3	/	
Nickel & Compounds	7440-02-0		
Nitrobenzene	98-95-3		
2-Nitropropane	79-46-9		
O-Cresol	95-48-7		
O-Xylene	95-47-6		
P-Cresol	106-44-5		
Pentachlorophenol	87-86-5		
Phthalic Anhydride	85-44-9		
Phenol	108-95-2		
Selenium & Compounds	7782-49-2		

Table 5a.1: Residual Chemical Identification

RIN: WC312-NWL			
Constituent	CASRN (Reference)	Present (🗸)	CBI
Silver & Compounds	7440-22-4	· · · · · · · · · · · · · · · · · · ·	
Styrene and Styrene-derived polymers	100-42-5		
Tetrachloroethene	127-18-4		
Tin & Compounds	7440-31-5		
Toluene	108-88-3		
Toluene diisocyanate	26471-62-5		
1,2,4-Trichlorobenzene	120-82-1		
1,1,1 Trichloroethane	71-55-6		
Trichloroethene	79-01-6		
2,4,6 Trichlorophenol	88-06-2		
Vanadium & Compounds	7440-62-2		
Vinyl Acetate and Vinyl Acetate-derived polymers	108-05-4		
Vinylidene Chloride and Vinylidene Chloride-derived polymers	75-35-4		
Xylene (mixed isomers)	1330-20-7		
Zinc & Compounds	7440-66-6		

## Table 5a.2: Constituent Volumetric Percentages

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a.2 Table to Record Amount of Constituents in RIN

Constituent found in RIN: WC312-NWL	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Ethylene Glycol		1%
N-Butyl Alcohol		1%
Cobalt & Compounds		<0.5%
Vinyl Acetate derived polymens	30%	<0.5%
Chromium	30%	<0.5%
		•
· /		
·		
	44	

NOW TABLE

# Table 5a.2: Constituent Volumetric Percentages

Directions for Table 5a.2: Use the optional table below to provide any information that you would like to report regarding the amounts of any of the Table 5a.1 constituents in your RIN. This opportunity is offered to you so that you may indicate either the frequency of occurrence of any particular Table 5a.1 constituent in your RIN or the percent by volume of any Table 5a.1 constituent in your RIN. For example, you may have reported 5000 gallons of this RIN, but only 1% of this volume is lead compounds, 2% is chromium compounds and 5% is xylene compounds. Alternatively, you may report that 1 out of 100 drums of residual contained lead compounds, 2 out of 100 contained chromium compounds and 5 out of 100 contained xylene compounds.

Completion of this table is optional and is not required under this Section 3007 Request for Information.

Table 5a,2 Table to Record Amount of	Constituents in RIN	
Constituent found in RIN: WC312-WL	Frequency of Occurrence of Constituent in RIN	Fraction (Percent) of Constituent in RIN
Ditylene Glycol	100%	1% <sup>!</sup>
N-Butyl Alcohol	100%	19:
Othalt & Companis	90%	<0.5 <u>%</u>
Vinyl Acetate derived polymens	30%	<0.5%
Chronium	30%	<0.5%
	•	
		·
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	,	
	·	
	W5	

# Part 5b. Test Methods for Constituents Reported in this Questionnaire

Please use the space provided below to list the analytical method(s) (by title or number) that you have used to analyze your residual streams, along with the detection limits reported by the laboratory for such analyses. Please also describe any analytical problems you have experienced in the determination of total and leachable (e.g., using the Toxicity Characteristic Leaching Procedure, or TCLP) constituent concentrations.

WVC312-NWL all constituents, user knowledge

Γ	WVC312	
Pl		$\boldsymbol{e}$
L		

### PART 6: CERTIFICATION

Responses may be typed or handwritten neatly. The signature/certification block in Part 6 must be completed by a senior official having authority over plant operations. It may not be completed by a consultant or any other third party.

# Part 6a. Certification of Information Provided

I certify under penalty of law that I have personally reviewed and am familiar with the information contained in the questionnaire, and, based on my inquiry of those responsible for obtaining the information, I believe the above to be true and complete, and I am aware that there are substantial penalties for submitting false information, and penalties for not returning this questionnaire to the Agency in the time period required.

Signature Wishaud A Howes	Dated
Printed Name Richard A. Flowers	
Tiue <u>President</u>	
Telephone <u>304-529-3237</u>	

Authority for the collection of the above information is contained in the Resource Conservation and Recovery Act (RCRA), 42 USC 6901 et seq.

### Part 6b. Certification For Non-Manufacturer of Paint

I certify under penalty of law that I have reviewed the history of this company and am familiar with current production and residual management generation, and that this company does not currently manufacture paint and does not generate paint residual covered under the scope of this questionnaire.

Signature	Dated
Printed Name	
Title	
Telephone	

PLEASE BE SURE TO RETAIN A COPY OF YOUR SIGNED COMPLETED QUESTIONNAIRE FOR YOUR RECORDS

# Columbia Paint Corporation



P.O. BOX 2888

**641 JACKSON AVENUE** 

**HUNTINGTON. WV 25728** 

PHONE (304) 529-3237

DATE: 4/17/00	
TO: Ms. DOLORES YERMONT	USEPA
FROM: JOHN BALL	
NUMBER OF PAGES TO FOLLOW:	8
COLUMBIA PAINT CORPORATION	(304) 525-2921

MESSAGE: Ms. VERMONT: The following pages are

Submitted to address the comments you made in

our conversation on 4/12/00 regarding the

Paut Survey questionaire. I believe the changes

reflected on the attacked will correct those

on our initial submittal.

It you have any questions, please call me at

204 529 3237

If this fax is incomplete, please call Columbia Paint Corporation at the above telephone number. The contents of this fax are intended for the person so named above. If anyone other than the named person receives this fax, please disregard immediately.